


Overview



1. Power Button
2. Color Display
3. Today Button
4. Inbox Button

5. 5-Way Navigation Button
6. Contacts Button
7. Calendar Button

At A Glance

- Dazzling Transflective TFT color with LED backlight display
- Removable/rechargeable battery for use while away from a power source
- SD memory card slot for transferring and storing music, picture and more
- Synchronize using integrated IR port
- Stay productive with Pocket versions of familiar applications like Microsoft™ Outlook™, Word and Excel
- Entertainment while on the go with games, music and video
- Microsoft® Pocket PC 2002

Standard Features

Models

iPAQ Pocket PC h1910 – 64-MB SDRAM/16 MB NAND Flash
311324-001

iPAQ Pocket PC h1915 – 64-MB SDRAM/16 MB NAND Flash

FA101A#ABU United Kingdom
FA101A#ABG Australia/New Zealand
FA101A#UUF APD
FA101A#AB5 Hong Kong
FA101A#ABB Europe
FA101A#ABD German
FA101A#ABM L.A. Spanish
FA101A#ABE Spain
FA101A#ABF French
FA101A#ABC French Canadian
FA101A#ABZ Italian
FA101A#AC4 Brazil

iPAQ Pocket PC h1920 – 64-MB SDRAM/16 MB NAND Flash - Asia / Pacific SKU only

FA102A#AB1 Korea
FA102A#AB0 Taiwan
FA102A#AB2 China
FA102A#ABJ Japan

Processor	h1910 Intel PXA 250 (200 MHz)	h1915 and h1920 Intel PXA 255 (200 MHz)	
Memory	NAND Flash SDRAM	h1910 and h1915 16 MB 64 MB (46 MB user accessible)	h1920 32MB 64 MB (34 MB user accessible)
Display	Type Number of Colors Touch Screen Resolution (W x H) Viewable Image Size	Transflective type TFT color with LED backlight 64K color (65,536 colors) 16-bit Yes 240 x 320 3.5 in (89 mm)	
Hardware Buttons/ Reset Buttons	One power button, one recording button, one soft reset switch, four software programmable application buttons, five-way navigation button		

Standard Features

Stylus	One	
Audio	Microphone, speaker, one 2.5 mm earphone jack, MP3 stereo (through audio jack)	
Notification Systems	Alarms	Solid amber LED – battery in unit fully charged Flashing amber LED – battery in unit is charging Flashing green LED – event alarm/notification
	Notification	Sound and message on the display
SD Slot	Support SD/MMC type standard	
Interface	IRDA (SIR) port	
Power Supply	Battery	Rechargeable 900 mAh Lithium-Ion user swappable battery, battery fully charge time: 4 hours
	AC Power	AC Input: 100~240 Vac, 50/60 Hz, AC Input Current: 0.2 Aac max Output Voltage: 5Vdc (typical), Output Current: 2A (typical)
	NOTE: Battery life varies based on the usage pattern of an individual user and the configuration of the handheld. Use of some attachments may significantly decrease battery life.	
Ergonomic Design Features	Instant-on/off and front light Navigation button Touch-sensitive display for stylus 5 customizable application launch buttons – Calendar, Contacts, Inbox, Today, and Recorder buttons 3 alarm settings Built-in speaker	
Applications on Device	Powered by Microsoft Windows® for Pocket PC 2002 Calendar, Contacts, Tasks, Voice Recorder, Notes, Pocket Word, Pocket Excel, Pocket Internet Explorer, Calculator, Solitaire, Inbox, File Explorer, Infrared Beaming, Clock, Align Screen, File Explorer, Memory, Volume control, Asset Viewer	
Applications on Companion CD	Additional Software and links on CD Outlook 2000, Microsoft ActiveSync® 3.5 (Desktop device synchronization), Links to Microsoft Web sites for additional downloadable applications (some programs may require purchase of additional desktop software to utilize Pocket PC versions), Windows Media Player 8 (MP3, audio and video streaming)	
Operating System	h1910 and h1915	h1920
	Microsoft Pocket PC 2002 Professional	Microsoft Pocket PC 2002 Premium
Service and Support	One-year parts and labor, 90 days technical support for software. Optional CarePAQ™ available in North America for Next Business Day replacement (at additional charge).	

Technical Specifications

System Unit	Dimensions (H x W x D)	4.46 x 2.75 x 0.50 in (113.3 x 69.8 x 12.8 mm)	
	Weight	4.23 oz (120 g)	
	Operating Temperature	32° to 104° F (0° to 40° C)	
	Storage Temperature	-4° to 140° F (-20° to 60° C)	
	Operating Humidity	90% RH	
	Regulatory Marks	Electrical	FCC Class B, UL or CSA NRTL
	Safety	C-UL, NOM	

Memory	NAND Flash	16 MB	
	SDRAM	h1910 and h1915	h1920
		64 MB (46 MB user accessible)	64 MB (34 MB user accessible)

TFT Color Display	Number of Colors	65,536 (64K 16-bit)	
	Resolution (W x H)	240 x 320	
	Dot Pitch	0.24 mm	
	Viewable Image (W x H)	2.26 x 3.02 in (57.6 x 76.8 mm), 3.8 in diagonal (96 mm)	
	Display Type	64K color (16-bit) transfective type TFT color with LED	

AC Adapter	Dimensions (H x W x D)	3 x 1.9 x 1.8 in (76 x 48 x 44 mm) (including prongs)		
	Cord Length (approximate)	6 ft (1.83 m)		
	Power Supply Ratings	Voltage Range	100 to 240 V Switching	
		Input Current	0.3 A	
		Input Frequency	50 to 60 Hz	
		Output Voltage	5 VDC	
		Output Current	2 Amp	

Options

NOTE: Optional accessories are available at additional cost.

Memory/Storage	64-MB SD Memory Card	FA134A#AC3	253478-B21
	128 MB SD Memory Card	FA135A#AC3	253479-B21
	256 MB SD Memory Card	FA136A#AC3	287464-B21
Power	Slim 900 mAh Lithium Ion Rechargeable Battery	FA114A#AC3	311315-B21
Synchronization	USB Desktop Cradle/Charger (USB only)	FA112A#AC3	311317-B21
Other	Stylus Three-pack	FA113A#AC3	311311-B21
	Auto Adapter	FA125A#AC3	253508-B21
	Charger Adapter	FA133A#AC3	274707-B21
	AC Adapters		
	United States, Canada, Latin America, Japan, Taiwan	FA130A#ABA	253629-001
	Australia	FA130A#ABG	253629-011
	Europe, Brazil	FA130A#ABB	253629-021
	United Kingdom, Asia Pacific, Hong Kong	FA130A#ABU	253629-031
	AutoSync Cable (USB and Serial)	FA122A#AC3	250178-B21
	Cases available at hp.com/products/pocketpc/options		
Custom Cases: to view and order go to: www.ecases.com			



HP iPAQ Pocket PC h1910, h1915, and h1920 is a Microsoft® Windows® Powered Pocket PC

For more information on HP iPAQ Pocket PC, visit our website at <http://www.hp.com/go/iPAQ>

©2005 Hewlett-Packard Development Company, L.P.

The information in this document is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft, Windows, and ActiveSync, are U.S. registered trademarks of Microsoft Corporation. Intel is a registered trademark of Intel Corporation in the U.S. and/or other countries